



Renewable Energy Sprint



Goals

- ✓ Assemble multiple cars powered by renewable energy
- ✓ Alter the cars to increase their speed
- ✓ Compare the pros and cons of different technologies



Background

What makes a car move? Most cars today are powered by gasoline, but that wasn't always the case. Early cars were powered by kerosene, ethanol, electricity, even steam. In fact, until the electric starter motor became common in 1920, steam cars outsold gasoline cars!

Without a starter, gasoline cars had to be hand-cranked to start, which occasionally caused backfires that suddenly swung the crank backwards, often resulting in a broken arm for the poor person operating it. It's easy to see why steam was more popular!



Steam engine in a 1924 Stanley Steamer

Today, there probably aren't many people who'd favor a return to steam-powered cars. However, there are many other power sources that are receiving attention as the world looks for alternatives to traditional gasoline power in the face of global climate change.

Different technologies have advantages and disadvantages. Some of them (like the possibility of breaking your arm with a hand crank) can be solved with new inventions, while others (like the carbon dioxide in engine exhaust) are too closely tied to how the technology works to be eliminated.

Here are some examples of technologies that could be used to power cars and how they work:

- Solar panels – Change light to electricity to power an electric motor.
- Supercapacitors – Store electricity in a capacitor to power an electric motor.
- Fuel cells – Use hydrogen, split from oxygen in water, to generate an electric current and power a motor.
- Batteries – Store electricity chemically and use it to power an electric motor.
- Metal hydrides – Store hydrogen chemically and use it in a fuel cell to power an electric motor.

You may notice that many of these technologies seem very similar. At some point, they all have to turn a motor in order to get the car to move. But how they get the energy to do that is very different, and that will affect how the car performs when powered by each of them. Whatever technology they run on, we want cars to do many different things: they should accelerate quickly, operate reliably, and be able to be refueled easily. Today we will test just one aspect of the job that a car is supposed to do: provide energy quickly.

During this activity, we will build cars powered by different technologies, modify them to try to increase their power output, and determine which type of car can complete a 5-meter drag race in the fastest time.



Renewable Energy Sprint



Solar Car Procedure

1. You'll need the car frame, red and black wires, the solar panel, and the solar panel support to assemble the solar car.
2. Look at the top of the car frame to see where you should attach the solar panel support. Make sure the solar panel support fits securely onto the top of the frame.
3. Place the solar panel on top of the support.
4. Connect the wires from the motor to the red and black plugs nearest to them on the front of the frame.
5. Use the other red and black wires to connect the solar panel to the other plugs on the front of the frame.
6. Make sure the car is in direct sunlight, and it should start to run.
7. Use the stopwatch to time how long it takes for your car to go 5 meters. Repeat and record your results in the table below.

Trial	Time (sec):	Laps:	Distance (m):	Observations:
1				
2				
3				



Fuel Cell Procedure

1. You'll need red and black wires, the fuel cell, battery pack, H₂ and O₂ cylinders, two lengths of tubing, and a syringe to assemble the fuel cell.
2. Insert the cylinders into the frame of the car. Fill them with about 40 mL of distilled water.
3. Uncap the tube on the O₂ side of the fuel cell.
4. Fill the syringe with distilled water and fill the fuel cell using the syringe.
5. Replace the cap on the O₂ tube.
6. Insert the fuel cell into the frame of the car in front of the cylinders. Attach the H₂ and O₂ sides of the fuel cell to the H₂ and O₂ cylinders with the longer tubes, which will prevent the hydrogen and oxygen gases from escaping.
7. Connect the battery pack to the fuel cell using the red and black plugs, then turn on the battery pack. You should see the fuel cell start to generate hydrogen and oxygen gas.
8. Once you see bubbles start to escape the H₂ cylinder, turn off and disconnect the battery pack.
9. Connect the loose red and black wires to the fan or LEDs to start generating electricity.



Renewable Energy Sprint

10. Use the stopwatch to time how long the fuel cell car takes to complete the race. Record your results below.

Trial	Time (sec):	Observations:
1		
2		
3		



Salt Water Battery Procedure

1. You'll need red and black wires, the salt water battery (white bottom and blue top), syringe, and a graduated cylinder to assemble the salt water battery.
2. Get salt water solution from your teacher and put it in the graduated cylinder. Make sure to get at least 25mL. And be careful, it's hot!
3. Using the syringe, transfer 15mL of the salt water solution into the bottom of your battery.
4. Snap the blue top of the battery onto the white bottom.
5. Attach one red wire to two red plugs on the left and right sides of the battery at the back.
6. Connect the wires from the motor to the red and black plugs nearest to them on the front of the frame.
7. Connect the loose wires from the battery to the other plugs on the front of the frame.
8. Use a stopwatch to time how fast the battery can make the car complete the race. Record your results below.
9. When you're finished with the salt water battery, rinse the top and bottom with distilled water.

Trial	Time (sec):	Observations:
1		
2		
3		



Supercapacitor Procedure

1. You'll need red and black wires, the capacitor, and the hand-crank generator to use the supercapacitor.
2. Connect the capacitor to the hand-crank generator using the set of red and black wires.
3. Gently turn the hand-crank clockwise to generate current and charge the capacitor. Charge the capacitor for at least 60 seconds.



Renewable Energy Sprint

4. Disconnect the hand-crank generator from the capacitor and connect the capacitor to the plugs on the front of the frame. Secure the capacitor in the middle of the frame.
5. Connect the wires from the motor to the red and black plugs nearest to them on the front of the frame.
6. Use a stopwatch to time how fast the capacitor can make the car complete the race. Record your results below.

Trial	Time (sec):	Observations:
1		
2		
3		



Metal Hydride Procedure

1. You'll need red and black wires, the mini fuel cell, purge valve, silicon tubing, clamp, hydrostik, and the pressure regulator to assemble the hydrostik generator.
2. Push the silicon tubing through the clamp until the clamp is about halfway along the tubing.
3. Attach one end of the tube to the pressure regulator by unscrewing the cap, threading the tubing through the cap, pushing the tubing onto the regulator, and screwing the cap back on.
4. Screw in the pressure regulator to the top of the hydrostik.
5. Attach the other end of the tube to the nozzle of the mini fuel cell.
6. Place the fuel cell in the frame of the car with the nozzles facing forward.
7. Use the loose red and black wires to connect the red and black plugs on the fuel cell to the other red and black plugs on the front of the frame.
8. Open the clamp and press the purge valve for two seconds on the fuel cell. This will allow hydrogen to enter the fuel cell and cause the car to start running.
9. Use a stopwatch to time how fast the fuel cell can make the car complete the race. Record your results below.
10. When the hydrostik is empty, use the Hydrofill Pro to refill it.

Trial	Time (sec):	Observations:
1		
2		
3		



Renewable Energy Sprint



Experimentation

- Choose two or three technologies that were the fastest to complete the track. Discuss with your group ways you could improve the car to make each of them go faster. Write down your best ideas here:

Light Color:	Observations:
	1. 2. 3.
	1. 2. 3.
	1. 2. 3.

- Now build your car using each technology and try the ideas you thought of to see what happens to the car's speed. Record what you changed, how you changed it, and the results below:

Technology:	Changed What?:	Changed How?:	Time (sec):	Distance (m):

