

# SAFETY DATA SHEET

Sustainion® E-30 Grade T Membrane

Version 1  
SDS DATE: 10/14/2021

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Sustainion® E-30 Grade T Membrane

**MANUFACTURER:** Dioxide Materials  
**ADDRESS:** 3998 FAU Boulevard #300  
**City, State, Zip:** Boca Raton, FL 33431

**EMERGENCY PHONE:** (217) 239-1400  
**TECHNICAL PHONE:** (217) 239-1400  
**E-MAIL:** info@dioxidematerials.com

## SECTION 2: HAZARDS IDENTIFICATION



### PICTOGRAM

### Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable gases (Category 1), H220  
Gases under pressure (Liquefied gas), H280  
Acute toxicity, Inhalation (Category 4), H332  
Skin irritation (Category 2), H315  
Serious eye damage (Category 1), H318  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

#### GHS Label elements, including precautionary statements:

Pictogram

Signal word

Danger

#### Hazard statement(s)

H220 Extremely flammable gas.  
H280 Contains gas under pressure; may explode if heated.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

#### Precautionary statement(s)

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
P381 Eliminate all ignition sources if safe to do so.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P410 + P403 Protect from sunlight. Store in a well-ventilated place.  
P501 Dispose of contents/ container to an approved waste disposal plant

#### EMERGENCY OVERVIEW:

Contact with liquid or refrigerated gas can cause cold burns and frostbite.

Lachrymator.

To the best of our knowledge, the chemical, physical & toxicological properties have not been thoroughly investigated.

For additional information on toxicity, please refer to Section 11.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

Sustainion® E-30 Grade T Membrane

Version 1

SDS DATE: 10/14/2021

<b>INGREDIENT:</b>	<b>CAS NO.</b>	<b>PERCENT</b>	<b>SARA 313</b>
Trimethylamine, compd. with 1-(chloromethyl)-4-ethenylbenzene polymer with diethenylbenzene and ethenylbenzene	2067233-09-2	>80%	N/A
Ethylene Glycol	107-21-1	<10%	Y
Trimethylamine	75-50-3	<5%	N
Polytetrafluoroethylene	9002-84-0	12%	N

**SYNONYMS: PSTMIM-CI**

**CHEMICAL FORMULA:**

## SECTION 4: FIRST AID MEASURES

### GENERAL ADVICE

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of danderous area.

### IN CASE OF EYES CONTACT:

In case of contact with eyes, flush thoroughly with plenty of water for at least 15 mintues. Assure adequated flushing by separating the eyelids with fingers. Call a physician.

### IN CASE OF SKIN CONTACT:

In case of skin contact, wash off with soap and plenty of water for at least 15 minutes. Remove contaminated clothing and shows. Call a physician.

### IF SWALLOWED:

Never give anything by mouth to an unconscious person. If swallowed, rinse mouth with water. Call a physician immediately.

### IF INHALED:

If inhaled, remove person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No data available

## SECTION 5: FIRE-FIGHTING MEASURES

**AUTOIGNITION TEMPERATURE:** data not available

### NFPA HAZARD CLASSIFICATION:

(estimated) HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0

### HMIS HAZARD CLASSIFICATION:

(estimated) HEALTH: 2 FLAMMABILITY: 1 REACTIVITY: 0

### EXTINGUISHING MEDIA:

#### SUITABLE EXTINGUISHING MEDIA

Water spray. Carbon dioxide, dry chemical powder, or alcohol-resistant foam

### FIRE FIGHTING:

### SPECIFIC HAZARD(S) ARISING FROM THE SUBSTANCE OR MIXTURE

Carbide oxides, combustible

### ADVICE FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes if necessary.

### FURTHER INFORMATION

No data available

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area

### PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. Wear disposable coveralls and discard them after use. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

# SAFETY DATA SHEET

Sustainion® E-30 Grade T Membrane

Version 1

SDS DATE: 10/14/2021

## ENVIRONMENTAL PRECAUTIONS

Do not let product enter drains.

## METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Sweep up, place in a bag and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

---

## SECTION 7: HANDLING AND STORAGE

---

### PRECAUTIONS FOR SAFE HANDLING:

Avoid contact with skin and eyes. Do not breath dust. Provide appropriate exhaust ventilation at places where dust or mist is formed.

### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 10: Combustible liquids

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### ENGINEERING CONTROLS:

Hand in accordance with good industrial hygiene and safety practice. Washing hands before breaks and at the end of the workday.

### RESPIRATORY PROTECTION:

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

### SKIN PROTECTION:

Handle with Compatible chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal techniques (without touching glove's outer surface) to avoid skin contact with this product. Disposed of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### EYE PROTECTION:

Chemical safety goggles with side-shields conforming to EN 166 use equipment for eye protection tested and approved under appropriate government standards such as NIOSH(US) or EN 166 (EU).

### WORK HYGIENIC PRACTICES:

Wash contaminated clothing before reuse. Wash thoroughly after handling.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

<b>PHYSICAL STATE:</b>	Solid
<b>COLOR:</b>	translucent white
<b>FORM:</b>	solid film
<b>ODOR:</b>	no data available
<b>ODOR THRESHOLD</b>	no data available
<b>pH:</b>	no data available
<b>BOILING POINT:</b>	no data available
<b>MELTING POINT:</b>	no data available
<b>FREEZING POINT:</b>	no data available
<b>VAPOR PRESSURE (mmHg):</b>	no data available
<b>VAPOR DENSITY (AIR = 1):</b>	no data available
<b>SPECIFIC GRAVITY (H<sub>2</sub>O = 1):</b>	no data available
<b>EVAPORATION RATE:</b>	no data available
<b>SOLUBILITY IN WATER:</b>	Not soluble in water, polymer portion soluble in ethanol, isopropanol
<b>DECOMPOSITION TEMP:</b>	no data available
<b>PARTITION COEFFICIENT:</b>	no data available
<b>FLASH POINT °F:</b>	no data available
<b>FLASH POINT °C:</b>	no data available
<b>EXPLOSION PEROPERTIES:</b>	no data available
<b>OXIDIZING PROPERTIES:</b>	no data available
<b>FLAMMABILITY:</b>	no data available
<b>AUTOIGNITION TEMP:</b>	no data available
<b>VISCOSITY:</b>	no data available

---

## SECTION 10: STABILITY AND REACTIVITY

---

**REACTIVITY:** no data available

**CHEMICAL STABILITY:** no data available

**INCOMPATIBILITY (MATERIAL TO AVOID):** strong oxidizing agents.

**HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:** no data available

**HAZARDOUS POLYMERIZATION:** will not occur

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

**TOXICOLOGICAL INFORMATION:**

**ACUTE TOXICITY:** no data available

**SKIN CIRROSION/IRRITATION:** no data available

**SERIOUS EYE IRRITATION/EYE DAMAGE:** no data available

**INHALATION:** no data available

**REPRODUCTIVE TOXICITY:** no data available

**TARGET ORGAN(S) or SYSTEM(S):** no data available

**RTECS:** not available

**CARCINOGENITY:** no data available. Note 2-methyl-imidazole and 4-methyl imidazole have been shown to lead to increased incidence of lung and liver cancer in rats at doses of 230 mg/kg

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

**TOXICITY:** no data available

**PERSISTENCE AND DEGRADABILITY:** no data available

**BIOACCUMULATIVE POTENTIAL:** no data available

**MOBILITY IN SOIL:** no data available

**OTHER ADVERSE EFFECTS:** no data available

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

**WASTE DISPOSAL METHOD:**

Contact a licensed professional waste disposal service to dispose of this material.  
Observe all federal, state and local environmental regulations.

**CONTAMINATED PACKAGING:** dispose of as unused product.

---

**SECTION 14: TRANSPORTATION INFORMATION**

---

**U.S. DEPARTMENT OF TRANSPORTATION**

**PROPER SHIPPING NAME:** None

**NON-HAZARDOUS FOR TRANSPORT:** This substance is considered to be nonhazardous for transport.

**WATER TRANSPORTATION**

**PROPER SHIPPING NAME:** None

**NON-HAZARDOUS FOR WATER TRANSPORT:** This substance is considered to be nonhazardous for water transport.

**AIR TRANSPORTATION**

**PROPER SHIPPING NAME:** None

**NON-HAZARDOUS FOR AIR TRANSPORT:** This substance is considered to be nonhazardous for air transport.

# SAFETY DATA SHEET

Sustainion® E-30 Grade T Membrane

Version 1

SDS DATE: 10/14/2021

Quantities less than 100 lbs: Quantities 100 lbs or more in a single package:

DOT SHIPPING DESCRIPTION: Not Regulated  
DOT HAZARD CLASSIFICATION: Not Regulated  
DOT LABELS REQUIRED: None  
DOT MARKING REQUIRED: None  
UN NUMBER: Not Applicable

---

## SECTION 15: REGULATORY INFORMATION

---

### SARA 302 COMPONENTS

SARA 302: no chemicals in this materials are subject to the reporting requirement of SARA Title III, Section 302.

### SARA 313 COMPONENTS

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Ethylene glycol	107-21-1	2007-07-01

### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### STATE REGULATIONS:

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Ethylene glycol	107-21-1	2007-07-01

INTERNATIONAL REGULATIONS: no data available

---

## SECTION 16: OTHER INFORMATION

---

DISCLAIMER: For R&D use only.

SDS CREATION DATE: October 14, 2021